
'Next Gen Using Mobile Tools'

PRESENTED BY:

Tim Bristol, PhD, RN, CNE, ANEF, FAADN, FAAN



Our Speaker

His motto...

"Today we will learn how to learn."



Tim Bristol, PhD, RN, CNE, ANEF, FAADN, FAAN
Owner NurseThink® NCLEX® Review
Faculty Walden University
Faculty FSIL Nursing – Haiti

NurseThink.com



Agenda

- Clinical Judgment
- Learning by _____
- Mobile Tools



Clinical Judgment

• The _____ that happens after Critical Thinking...

- Student Centered Learning First
- Learning by _____
- Self / Peer Evaluation




Mobile Tools


PROMOTING HIGHER ORDER THINKING IN STUDENTS

Skyscape Medical Library

Learn in the Same Way
in Which you Will use
the Information in
Practice...with the
SAME tools











Mobile Tools Benefits


- Robust Indices
- Cross-Reference (Smartlinking™)
- Bookmarks
- History
- Convenience
 - Carry in your pocket
 - Quickly search across library
- Cost often less expensive ursethan textbook



Skyscape Medical Library

Evidence Based Practice ON THE FLY












Skyscape Medical Library - SmartSearch







live vaccines







Skyscape Medical Library – SmartLink™














NurseThink – SmartLink™ to Skyscape Medical Library



A NurseTim® Brand







- Instruct patient to take medication as directed. If a dose is missed, it should be omitted. Consult health care professional if vomiting occurs shortly after a dose is taken.
- Instruct patient to notify health care professional promptly if rash, fever; chills; cough; hoarseness; sore throat; signs of infection; lower back or side pain; painful or difficult urination; bleeding gums; bruising; petechiae; blood in stools, urine, or emesis; increased fatigue; dyspnea; or orthostatic hypotension occurs. Caution patient to avoid crowds and persons with known infections. Instruct patient to use soft toothbrush and electric razor and to avoid falls. Caution patient not to drink alcoholic beverages or take medication containing aspirin or other NSAIDs; may precipitate gastric bleeding.
- Instruct patient to inspect oral mucosa for erythema and ulceration. If ulceration occurs, advise patient to use sponge brush and to rinse mouth with water after eating and drinking. Topical therapy may be used if mouth pain interferes with eating. Stonatific pain may require treatment with opioid analgesies.
- Advise natient to tell health care professional what

- Rheumatoid Arthritis: Assess patient for pain and range of motion prior to and periodically during therapy.
- Psoriasis: Assess skin lesions prior to and periodically during therapy.

Lab Test Considerations:

- Obtain a negative pregnancy test prior to starting therapy. Monitor CBC and differential prior to and frequently during therapy. The nadir of leukopenia and thrombocytopenia occurs in 7–14 days.

 Leukocyte and thrombocyte counts usually recover 7 days after the nadirs. Notify health care professional of any sudden drop in values.
 - Monitor renal (BUN and creatinine) and hepatic function (AST, ALT, bilirubin, and LDH) prior to and every 1–2 mo during therapy. Urine pH should be monitored prior to high-dose methotrexate therapy and every 6 hr during leucovorin rescue. Urine pH should be kept above 7.0 to prevent renal damage.
 - May cause † serum uric acid concentrations, especially during initial treatment of leukemia and lymphoma.

Toxicity and Overdose:

 Monitor serum methotrexate levels every 12–24 hr during high-dose therapy until levels are <5 × 10 M. This monitoring is essential to plan correct leucovorin dose and determine duration of resultherapy.





Note Taking

DEVELOPMENT OF CLINICAL JUDGMENT SKILLS

TAKING NOTES AS IF YOU WERE TAKING CARE OF A CLIENT


Remote Care Plans / Note Taking








NurseThink® NoteBook App - Main Index Search






NurseThink® NoteBook App - Notes






NurseThink® NoteBook - Web App







NurseThink® NoteBook App - Forming Habits






NurseThink® NoteBook App - Priorities





NurseThink® NoteBook App - NurseThink Quick








NurseThink® NoteBook App - Quality & Safety






NurseThink® NoteBook App - Review / Tracking








NurseThink® NoteBook App - Bookmarks






NurseThink® NoteBook App - Smartlinking





DO NurseThink®







Q & A

INNOVATIVE TOOLS FOR NURSING EDUCATION

Ask a question



Please post your question in the chat window.



Skyscape

INNOVATIVE TOOLS FOR NURSING EDUCATION


Get the Skyscape Medical Library App



- Search for Skyscape Medical Library in App Store or Google Play
- 2. Download the app
- 3. Request evaluation copy education.skyscape.com/nursing



Get the NurseThink® NoteBook App



- 1. Go to nursethink.skyscape.com/
- 2. Go to Education section
- 3. Click on more information
- 4. Request Evaluation



Thank You

- Contact us for more information on Skyscape Solutions and group savings
 - Email <u>sales@skyscape.com</u>
- Skyscape Medical Library on the App/Play store
 - Dashboard demo & sales contact <u>sales@skyscape.com</u>
- More tips for using NurseThink® for Students: The NoteBook
 - NurseThink.skyscape.com
- To learn more about Skyscape your partner in nursing education
 - Education.skyscape.com
- To view Webinar Series On-Demand:
 - https://education.skyscape.com/webinars
- Questions:
 - Email webinar@skyscape.com



Upcoming Webinar

We invite you to register for our next webinar

'Skills Tools - A Mobile Approach for the Nursing Student of the 21st Century'

Date & Time: October 07, 2021 3:00 PM EST/ 2:00 PM CT

- To register go to:
 - education.skyscape.com/webinars

